2011 CRUISECRAFT STANDARD and OPTIONAL EQUIPMENT

Choose the items you would like and return for a detailed quote. • Denotes standard feature which may be deleted for credit.

Dimensions

	52' 1-2 Stateroom CruiseCraft	S
	3ft. swim deck, 9ft. foredeck, 9 ft. aft deck, 31' cabin	
	56' 1-2 Stateroom CruiseCraft	S
	3ft. swim deck, 9ft. foredeck, 9 ft. aft deck, 35' cabin	
	60' 2-3 Stateroom CruiseCraft	S
	3ft. swim deck, 9ft. foredeck, 9 ft. aft deck, 39' cabin	
	65' 2-4 Stateroom CruiseCraft	S
	3ft. swim deck, 9ft. foredeck, 9 ft. aft deck, 44' cabin	
	70' 2-4 Stateroom CruiseCraft	S
	3ft. swim deck, 9ft. foredeck, 9 ft. aft deck, 49' cabin	
	Delete 3 ft. Swim Deck	0
	6 ft. PWC Platform IPO 3 ft. Swim Deck	0
	40' to 75' Custom CruiseCrafts	S
	ft. Swim Deck or PWC Platform	
	ft. Fore Deck	
	ft. Aft Deck	
	ft. Cabin	
	L.O.A. (Total Length) No. of Staterooms	
-		
~	Beam - 14'6" (14'9" O/A)	S
	Beam - increase beam to 16' (16'3" O/A)	0

Tankage

~	Fuel - 230 US gallons (2 @ 115 gal.)	S
	Fuel Transfer System - incl. 115 gal. Toy Tank	0
~	Water - 80 US gallons (single tank)	S
~	Holding - 600 gallons (2 @ 300 gallons)	S
	Custom Tankage	0
~	Propane - 80 lbs. (2 @ 40 lbs.)	S

Deck Hardware

~	6 - 10" Stainless Steel Cleats - 2 forward, 2 aft, 2 recessed midships spring	S
~	2 - Stainless Steel "U" bolts- aft, recessed	S
	12" Cleats - IPO 10"	0

Flotation

~	Pontoon - rigid twin aluminum pontoon flotation with sealed bulkheads 6' o.c.; 3/16" bottom sections; 1/8" top sections; 3/16" nose cones with reinforced beaching plate and dock bumpers (size varies with boat size/weight)	S
	Aluminum Monohull IPO pontoons	0

/	Command Bridge - with built-in seating	S
/	• •	♦S
/	Foredeck Service Tower -	S
	Exterior -	
/	FRP Walls with unitized fiberglass bridge and decks.	S
/ / / / / /	Insulation - rigid styrofoam throughout	S
/	Insulation Package - interior walls	S
/	Engine Hatch(es) - fiberglass with gas assist shocks	S
/	Crowned "I" Beam Bridge Trusses - 16" o.c.	S
/	Vented Bridge Deck -	S
/	Recessed Propane Storage - w/molded seat covers	S
/	Windows - custom window package	S
]	Windows - thermal sealed windows IPO single pane	С
/	Patio Doors - fore and aft with screens	S
]	Patio Door - 9 ft- IPO Standard	С
]	Patio Door - 5 ft mounted in cabin sidewall	C
]	Radar Arch -	C
]	Radar Wings - pair	C
]	Foredeck Enclosure- with single tube rail and	С
	two insulated lockers/seats	
	Storage Lockers -	
	In Hull - Exterior w/fiberglass hatch	0
	 In Hull - Interior w/carpeted hatch On aft deck with man door 	C
1		_
, 1	Vaulted Ceiling & Suntan Platform - elevated with windows	0
, 1	Single Lower Cuddy Cabin - with queen size bed and storage	0
, 1	Two Lower Cuddy Cabins - with queen size bed and storage	0 0
J	Loft - sleeping area with two twin size mattresses, wall divider, bridge deck access door and interior access stairs	U
]	Deck Level Cuddy - below stateroom bed, includes window and sliding access doors	С
	Penthouse -	
	Single stateroom with ensuite (approx. 15' x 9.5')	0
	Two staterooms with ensuite (approx. 27' x 10.5')	C
1	Custom penthouse (approx. 36' x 10.5')	U
J	Bed Box - storage locker on bridge deck and three mattresses	
	Extend Bridge Deck Past Aft Bulkhead	
/	Exteria briage beek rast Art barkileau	
/	5	•5

access ladder and perimeter railings

2011 CRUISECRAFT STANDARD and OPTIONAL EQUIPMENT PAGE 2

Structural cont'd

- ✓ Hot Tub 225 gallon custom 8-person, built-in jacuzzi spa ◆S on bridge deck complete with 3/4HP circulating pump, spa heater in-line filter, ozonator, mini-circulation pump, quick drain valve and electric fill pump, two additional 40lb. propane bottles and cover.
 □ Bridge Deck Wet Bar molded fiberglass, stainless steel osink & electric bar fridge and propane for BBQ.
- (plumbed to main onboard tanks)

 Image: Comparison of the state of the

Rails, Ladders and Accessories

1	Aluminum Picket Railings - with 9 gates (35" high)	S
	Custom Tubular "Euro" Rails -	0
~	Powdercoat Railings/Ladders -	♦S
~	Spiral Staircase Access to Bridge Deck	♦S
~	Foredeck Access to Bridge Deck	♦S
~	Boarding Ramp - retractable (20" w x 9' l)	♦S
~	Foredeck Drain - in front of sliding door w/storage under	S
	Davit - 1500 lb. low profile	0
~	Straight Waterslide - with water	♦S
	Curved Waterslide - with water IPO straight	0
~	Deluxe Exterior Graphics Package -	♦S
	Collapsible Bimini Top - (boat width x 9'), 1 1/4" stainless bows	0
	Fixed Bimini Top - (boat width x 15')	0
	Surrey Top - (boat width x 14'), fixed aluminum frame "wing" supports with Sunbrella canvas top	0
	Molded Fiberglass Hard To p - (6' x 14' sections), includes rope lighting	0
	Bridge Deck Dining Counter - molded fiberglass with granicoat top across bridge deck fantail	0
	Fixed Bar Stools - for above	0

Mechanical Features and Options

~	Fully Operational Flybridge - with second control station	S
~	Dual Station Instrumentation - cabin and flybridge	S
~	Hydraulic Steering System - dual station	S
~	Electronic Controls - dual station	S
	Hydraulic Thruster System -	0
	Charging - additional 160 amp high output alternator with smart regulator (secondary charging of cabin batter bank)	0

Power Options

~	MerCruiser 3.0L- 130HP - 4 cyl. with Alpha sterndrive	S
	MerCruiser 4.3 MPI- 220HP - V6 with Bravo II sterndrive	0
	MerCruiser 5.0 MPI- 260HP - V8 with Bravo II sterndrive	0
	Twin MerCruiser 3.0L- 130HP - 4 cyl. with Alpha sterndrives	0
	Twin MerCruiser 4.3 MPI- 220HP - V6 with Bravo II sterndrives	0
	Twin MerCruiser 5.0 MPI- 260HP - V8 with Bravo II sterndrives	0
	Diesel Engine Packages -	0
	Twin O/B - IPO sterndrive	0

Generator Options

~	Westerbeke 8.0 SBEG Safe CO- 8KW 120/240 volt	S
	Westerbeke 10.0 SBEG Safe CO - 10KW 120/240 volt	0
	Westerbeke 12.5 SBEG Safe CO - 12.5KW 120/240 volt	0
	Westerbeke 14.0 SBEG Safe CO - 15.0KW 120/240 volt	0
	Westerbeke 20.0 SBEG Safe CO - 20.0KW 120/240 volt	0
	Safe CO - removes 95% of CO from generator exhaust	S
	Vertical Stack Exhaust -	0

Heating, Cooling and Ventilation Systems

	Central Air Conditioning - deck mounted compressor air handler in hull or cabin	0
~	35,000 BTU Propane Forced Air Furnace - ducted	♦S
	Fireplace - propane, wall mounted thermostat and fan kit	0
	Faux Fireplace - electric hologram 110v	0
~	Exhaust Fans in Heads - 110v (50 c.f.h.)	♦S
~	Exhaust Fan Timers	♦S
	Ceiling Fan(s) -	0
~	12v Mini Fan at Helm and all staterooms	♦S

Plumbing Features and Options

~	2 Heads - Sealand Model 510	S
~	2 Vanity Sinks - porcelain	S
~	Double Stainless Steel Sink - in galley	S
~	Shower - 36" x 36" molded fiberglass	S
	Additional Shower -	0
	Neo Angle Shower(s) - IPO Standard Shower	0
~	Pressurized Water System: 5.5 GPM main water - variable speed 2.8GPM onboard water	S S
~	Back-up Water Pump - with three-way switch	0
~	10 gal. Propane Hot Water Heater - with auto-lite feature	S
	Additional 10 gal. Propane Hot Water Heater -	0
~	Deck Shower -	►S
~	Holding Tank Pumpout Camlocks - 2" standard	S
~	Dockside Water -	S
~	Wash Downs (3) - fore, aft, and bridge decks	►S
~	BBQ Propane Quick Connect - plumbed to main onboard tanks	S
	Additional BBQ Propane Quick Connect -	0
	Water Filtration- two canister system with sediment and taste/smell filters	0

Electrical Features and Options

~	Deluxe 110v/12v Electrical Panel - with meters and backlit labels	S
~	Shore Power Main Breaker at Helm -	S
~	50 Amp Shore Power Receptacle -	S
~	Shore Power Cord -	S
	Dual 30 Amp Shore Power Receptacle - 2 x 30 amp IPO 50 amp	0
	Additional 50 Amp Shore Power Receptacle - 2 x 50 amp	0

2011 CRUISECRAFT STANDARD and OPTIONAL EQUIPMENT PAGE 3

Electrical Features and Options cont'd

~	Start Batteries - 3 or 4 - 12 volt, 1 each engine, generator	S
~	MMC Controls	S
~	Cabin Batteries - 8 -6 volt	S
	Additional Cabin Batteries - as requested	0
~	Battery Storage Locker -	S
~	2800 Watt Pro-Sine Inverter - true sine with battery charger	S
	Additional 2800 Watt Pro-Sine Inverter	0
~	Boost Button - joins battery banks for emergency starting	♦S
	Solar Panel(s) -	0
~	LED Lighting throughout -	S
~	LED Undervalance Lighting - galley	S
~	Rope Lighting - galley, kicks and island	S
~	Bridge Deck Lighting -	S
✓	Courtesy Lighting - companionways	S
✓	Halogen Docking Lights - pair	S
✓	110v Electrical Outlets - galley, island, staterooms	♦S
✓	12v PowerPoint Electrical Outlets - 2 helms & m. stateroom	♦S
✓	TV Cable Outlets - salon and staterooms	♦S
	Remote Spot Light - with wireless remote	0
~	Satellite Input on Bridge -	♦S

Cabinets and Millwork

 Cabinet Features - plywood countertops, toe kicks and drawer S construction, Shaker flat panel oak doors and European adjustable hinges, angled feature corner cabinets with glass mullion doors. Custom plastic laminate countertops.

~	Solid Oak Casings, Moldings and Bases - throughout	S
~	Oak Cabinet Doors - galley, pantry, vanities and wardrobe lockers	♦S
	Specialty Hardwoods - upgrade cabinets and interior trim and millwork to maple, cherry or other hardwoods	0
~	Full-Height Slide Out Pantry - galley	♦S
	Counter Height Slide Out Pantry	0
	Countertop Upgrade - solid surface, Corion or granite	0
~	Entertainment Center Cabinet - salon	S
~	Stateroom Wardrobe Lockers - hanging rod, adjustable shelves and bottom storage drawer	S
~	Master Stateroom Bed - hinged island bed with storage under	♦S
	Wet Bar with Overhead Storage Cabinet- mirror and wine glass racks	0
	Custom cabinetry and millwork -	0
Flo	oring	

/	Carnot	and

~	Carpet and/or Vinyl Throughout - contractor grade	S
	Ceramic Tile - galley, heads	0
	Laminate or Hardwood Floors -	0

Cabin Finishing / Furnishings

	Vinyl Headliner - with battens	0
	Yacht Headliner - pleated vinyl	0
~	5" Quilted Foam Mattresses -	S
	8" Innerspring Mattresses -	0

Cabin Finishing / Furnishings cont'd

~	Convertible Dinette - sleeps 2	♦S
~	Bar Stools - 4	♦S
~	Convertible Sofa - with storage drawers, sleeps 2	♦S
~	Swingback Helm Seats - with storage under, salon and bridge	♦S
~	Patio Door Curtains -	S
~	Pleated Shades and Padded Valences - throughout	S
~	Side Curtains - galley, salon and companionways	S
	Upgrade Interior Finishes - floor covering, upholstery, etc.	0

Appliances and Electronics

/	23 cu.ft. Side by Side Refrigerator/Freezer -	♦S
~	2-8 cu.ft. 2 way (propane - 110v) Refrigerator/Freezer -	♦S
	-IPO 23 cu.ft. refrigerator/freezer	
~	30" Residential Range -	♦S
~	30" Microwave - over the range, ducted exhaust fan, light kit	♦S
~	Dishwasher -	♦S
~	Trash Compactor -	♦S
	Stainless Appliances - IPO black	0
	Micro-Convection Oven	0
	Freezer - chest	0
	Stacked Washer/Dryer - electric or propane dryer	0
	Combo Washer/Dryer - electric	0
	Icemaker - 23lbs./day	0
	Wine Cooler - 35 bottle	0
	Bar Fridge -	0

Audio/Visual Systems

Custom	Audio/Visual S	vstems - salo	on, bridge	staterooms	0
04010111	maaro/ rioaar o	jotomio dano	in, bridge	otatoroonio	

Safety

~	Navigation Lights -	S
~	Twin Trumpet Horn -	S
~	Ship's Bell -	S
~	Propane Detector -	S
~	CO Detectors -	S
~	Bilge Blowers -	S
~	Auto Bilge Pump(s) -	S
~	Compass - backlit binnacle mount -	S
	VHF Marine Radio - with 8'antennae	0
	Depth Sounder / Fish Finder	0
	Back-up TV Monitor	0
	Safety Package - 10 life jackets, 4 - 5lb. fire extinguishers, 30" ring buoy, Ship's bell, 2 - 150' 3/4" Goldbraid cove lines, 4 - 15' docking lines, 4 - 10" x 26" fenders with lines	0
	Fire Suppression System-	0

• denotes standard feature which may be deleted for credit